Applicant(s): Lars Abrahmsén et al.
METHODS FOR PROTEIN PURIFICATIONS

ind; the state of the time that the 35 And the age of the first that


 Σ

Z

Д

N K E Q Q aa aac aaa caa -36aa-K L V S F aaa cta gtt tct ttt ttc ᄺ Spel got caa agt ato aac goc gog caa cac gat gaa goo gta gac aac aaa 区 Z \Box -35aa- \triangleright tet cae aac tag tga gte gae Ø SaIIE D R L S H gaa gac cgt tta tct cat 口 TER TER 口 Z Ø 耳 ¥ hSSAO(residues 29-763) mutated GST W ď D -729aa--43aa-Z Ω ttg ttc caa ggt gga gat cgc gca Ø \bigcirc BssHIImouse IgG1 heavy chain signal peptide U Ø α gcc **Ø**€ ਕਕਕ ਯੁਕਧੁ Ø ഥ ttc ctg atg gcg ď \bowtie cca Z Д tct Н Ø Н ggt \mathcal{O} aac ttg cta Н -79aatca caa agt cag Ø Z W 召 ctg cgg cct ata O) Н Д S tcc atg gat tgg cct cca aag \geq S X aac gcg О ø Mul Д

METHODS FOR PROTEIN PURIFICATIONS



hê.

Fig. 2

Applicant(s): Lars Abrahmsén et al. METHODS FOR PROTEIN PURIFICATIONS




Fig. 3